



Table 57 : LFH Series Dimensions Table

Model No.	Major Dimensions (mm)									Setting		Model No. of Linear Bearing	Weight (kgf)	Basic Load Ratings	
	d	D	d <sub>1</sub>	L	ℓ	W	T	t	S	Bolt	C			C <sub>0</sub>	
<b>LFH16</b>	16	$\begin{matrix} 0 \\ -0.009 \end{matrix}$	40	28	68	52	37	25	8	7	M6	<b>L16-UU</b>	0.25	46	76
<b>LFH20</b>	20	$\begin{matrix} 0 \\ -0.010 \end{matrix}$	44	32	72	57	42	29	9	7	M6	<b>L20-UU</b>	0.33	52	103
<b>LFH25</b>	25		54	40	90	70	59	39	12	9	M8	<b>L25B-UU</b>	0.69	104	193
<b>LFH30</b>	30		60	45	96	76	64	42	14	9	M8	<b>L30A-UU</b>	0.89	148	226
<b>LFH35</b>	35	$\begin{matrix} 0 \\ -0.012 \end{matrix}$	70	52	114	90	70	48	16	11	M10	<b>L35-UU</b>	1.37	167	250
<b>LFH40</b>	40		78	60	128	100	80	59	18	11	M10	<b>L40-UU</b>	2.28	280	400

\* Housing Material : FC25

Strong Flanged housing, suitable for heavy duty and impact load.