



Table 68 : LUF Series Dimensions Table

Model No.	Shaft Dia. d	Major Dimensions (mm)											Setting Bolt S ₁	Stopper T	Basic Load			Weight (kgf)
		h	h ₀	H ₀	H ₁	H ₂	H ₃	H ₄	H ₅	H ₆	H ₇	H ₈			C (kgf)	C ₀ (kgf)	M (kgf·cm)	
LUF 6	6	18	7	30	65	25	54	20	35	5	15	5	4.5	8	14	22	0.24	0.10
LUF 8	8	20	8	33.5	72	25	62	20	40	5	15	6	4.5	8	22	32	0.44	0.13
LUF10	10	25	9	41	85	30	72	24	45	6	18	8	5.5	8	40	60	0.9	0.24
LUF12	12	28	10	45	94	32	80	26	50	6	20	10	5.5	8	56	86	1.4	0.31
LUF16	16	30	12	50	114	38	98	32	60	6	24	10	6.6	10	92	152	2.7	0.46
LUF20	20	35	13	57	126	44	110	36	70	8	28	12	6.6	10	104	206	3.6	0.72
LUF25	25	43	15	70	150	60	130	52	80	8	40	15	9	10	208	386	8.3	1.34
LUF30	30	47	17	78	180	66	160	56	100	10	42	15	9	10	296	452	14.8	1.91
LUF35	35	51	20	86	200	72	178	62	110	10	48	16	11	12	334	500	18.3	2.59
LUF40	40	60	23	100	220	83	196	70	120	13	55	19	11	12	560	800	33.6	4.49

* Linear Bearing : Non-Rust with Oil Holes (M2LFLK-OH Series)