



Table 67 : LUFD Series Dimensions Table

Model No.	Shaft Dia. d	Major Dimensions (mm)											Setting Bolt			Stopper T	Basic Load			Weight (kgf)
		h	h ₀	H ₀	H ₁	H ₂	H ₃	H ₄	H ₅	H ₆	H ₇	H ₈	S ₁	M ₁	M ₂		C (kgf)	C ₀ (kgf)	M (kgf·m)	
LUFD6	6	18	7	30	65	37	54	27	35	15	2.5	5	4.5	M4	M3	8	28	44	0.49	0.12
LUFD8	8	20	8	33.5	72	47	62	36	40	22	3	6	4.5	M4	M3	8	44	64	0.88	0.19
LUFD10	10	25	9	41	85	57	72	44	45	28	4	8	5.5	M5	M4	8	80	120	1.8	0.35
LUFD12	12	28	10	45	94	59	80	46	50	30	5	10	5.5	M5	M4	8	112	172	2.8	0.48
LUFD16	16	30	12	50	114	70	98	54	60	36	5	10	6.6	M6	M5	10	184	304	5.5	0.74
LUFD20	20	35	13	57	126	82	110	62	70	42	6	12	6.6	M6	M5	10	208	412	7.2	1.07
LUFD25	25	43	15	70	150	115	130	90	80	50	8	15	9	M8	M6	10	416	772	16.6	2.15
LUFD30	30	47	17	78	180	125	160	100	100	70	8	15	9	M8	M6	10	592	904	29.6	2.92
LUFD35	35	51	20	86	200	138	178	110	110	84	8	16	11	M10	M6	12	668	1000	36.7	3.99
LUFD40	40	60	23	100	220	158	196	130	120	90	10	19	11	M10	M6	12	1120	1600	67.2	7.00

*Linear Bearing : Non-Rust with Oil Holes (M2 LFDK-OH Series)