



Table 58 : SB Series Dimensions Table

Model No.	Shaft Diameter $d$ (mm)	Major Dimensions (mm)							Setting		Locking	Weight (kgf)
		$h$	$H$	$t$	$L$	$\varnothing$	$W$	$T$	$S$	Bolts	Bolts	
<b>SB-16</b>	16	27	45	13	55	38	18	26	7	M5	M4	0.2
<b>SB-20</b>	20	31	53	13	65	45	20	30	8	M6	M5	0.3
<b>SB-25</b>	25	35	61	13	76	56	24	36	8	M6	M6	0.4
<b>SB-30</b>	30	42	73	15	85	64	30	42	10	M8	M6	0.7
<b>SB-35</b>	35	50	87	15	100	74	33	48	12	M10	M8	1.0
<b>SB-40</b>	40	60	104	18	120	90	37	57	12	M10	M10	1.7
<b>SB-50</b>	50	70	122	20	140	100	40	68	14	M12	M12	2.5
<b>SB-60</b>	60	80	140	21	165	120	46	80	14	M12	M12	4.5

\*Material : FC25

Table 59 : Permissible Tolerances

Basic Dimensions	Tolerance (mm)
$h$	$\pm 0.025$
$l \cdot W$	$\pm 1.0$