



ストレートリニアシャフト (S, SS, PS, NS) の規格長さ





<注記> 外径D=3, 4, 5の公差はh7になります。

| 型番 | 材質 | 表面処理 |
|----|-----------|----------|
| S | SUJ-2 | — |
| SS | SUS440C相当 | — |
| PS | SUJ-2 | — |
| NS | SUJ-2 | 硬質クロムメッキ |

| 型番 | 外径 D | シャフト長さ L | | | | | | | | | | | | | |
|----|------|----------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| | | 100 | 150 | 200 | 300 | 400 | 500 | 600 | 800 | 1000 | 1200 | 1500 | 2000 | 2500 | 3000 |
| S | 3 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 4 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 5 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 12 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 13 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 16 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 20 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 25 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 30 | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 35 | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 40 | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 50 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 60 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |

| 型番 | 外径 D | シャフト長さ L | | | | | | | | | | | | | |
|----|------|----------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| | | 100 | 150 | 200 | 300 | 400 | 500 | 600 | 800 | 1000 | 1200 | 1500 | 2000 | 2500 | 3000 |
| SS | 3 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 4 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 5 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 12 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 13 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 16 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 20 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 25 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 30 | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 35 | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 40 | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 50 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |

| 型番 | 外径 × 内径 D × d | シャフト長さ L | | | | | | | | | | | | | |
|----|---------------|----------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| | | 100 | 150 | 200 | 300 | 400 | 500 | 600 | 800 | 1000 | 1200 | 1500 | 2000 | 2500 | 3000 |
| PS | 10 × 4 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 12 × 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 13 × 7 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 16 × 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 20 × 14 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 25 × 16 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 30 × 17 | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 35 × 19 | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 40 × 20 | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 50 × 26 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |

| 型番 | 外径 D | シャフト長さ L | | | | | | | | | | | | | |
|----|------|----------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| | | 100 | 150 | 200 | 300 | 400 | 500 | 600 | 800 | 1000 | 1200 | 1500 | 2000 | 2500 | 3000 |
| NS | 3 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 4 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 5 | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | |
| | 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| | 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 12 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 13 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| | 16 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 20 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 25 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 30 | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 35 | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 40 | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 50 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 60 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |

* S60, NS60シリーズは在庫少
 * NSシリーズの最長寸法には両端に寸法公差外部分ならびに非メッキ部があります。